

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS F O Box 1450 Alexandria, Virginia 22313-1450 www.uspilo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/727,034	11/30/2000	Gregory J. Conley	3914-02A	3004
27500 065202508 WITHROW & TERRANOVA, P.L.L.C. 100 REGENCY FOREST DRIVE SUITE 160 CARY, NC 27518			EXAMINER	
			NGUYEN, LUONG TRUNG	
			ART UNIT	PAPER NUMBER
			2622	
			MAIL DATE	DELIVERY MODE
			06/20/2008	PAPER

# Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

# Application No. Applicant(s) 09/727.034 CONLEY, GREGORY J. Office Action Summary Examiner Art Unit LUONG T. NGUYEN 2622 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 11 June 2008. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 4-40 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) 4-40 is/are rejected. 7) Claim(s) \_\_\_\_\_ is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner, Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some \* c) ☐ None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received.

U.S. Patent and Trademark Office PTOL-326 (Rev. 08-06)

Attachment(s)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO/SB/08)

Interview Summary (PTO-413)
 Paper No(s)/Mail Date.

SI Other

5) Notice of Informal Patent Application

Application/Control Number: 09/727,034 Page 2

Art Unit: 2622

#### DETAILED ACTION

 It should be noted that by adding new limitations in claims 4-39 in the Amendment filed on 8/21/2007, the Applicant stated that the claims currently presented do not interfere with claims of U.S. Patent No. 6.154.251.

#### Continued Examination Under 37 CFR 1.114

2. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 6/11/2008 has been entered.

## Response to Arguments

 Applicant's arguments filed on 6/11/2008 have been fully considered but they are not persuasive.

Since the Applicant fails point out specifically the argument in response to the Office Action mailed on 12/11/2007, the rejection as made in the Office Action mailed on 12/11/2007 is sustained.

Application/Control Number: 09/727,034 Page 3

Art Unit: 2622

## Claim Rejections - 35 USC § 112

The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

5. Claim 40 is rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

Regarding newly added claim 40, the specification does not have support for the limitations "a controllable amount of motion blur," "controlling the time length of exposure of each said adjacent or proximate camera to allow a controlled amount of image motion blur caused by said moving subject or object to accumulate; and displaying a sequence of said motion blur images in a motion picture medium to create the visual effect point of view of moving along said curve or path while viewing said scene."

### Claim Rejections - 35 USC § 103

 The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made. Application/Control Number: 09/727,034 Art Unit: 2622

Claims 4-6, 8-10, 12, 14-15, 17, 19-20, 22, 24-26, 28-29, 31-32, 34-35, 37-38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ditchburn et al. (U.S. 5184,732) in view of Astle (US 4,698,682) further in view of Chen et al. (US 5,613,048).

Regarding claim 4, Ditchburn et al. discloses a system for producing virtual camera motion in a motion picture medium comprising an array of cameras (electronic viewers 5, Figure 1, Column 3, Lines 37-40) deployed along a preselected path with each camera focused on a common scene (a viewing zone, Figure 1, Column 3, Lines 37-40); means for triggering (light curtain 3 triggers a strobe for signaling the electronic viewers 5 simultaneously capture the objects, Figure 1, Column 3, Lines 27-36) each of said cameras to substantially simultaneously record a still image of said scene; means for transferring said still images from said cameras into a digital format (computer 12, Figure 2, Column 4, Lines 26-30); means for transferring said digital data and said at least one interpolated still image into a time-sequence of frames and means for outputting said time-sequence of frames in a motion picture medium (the sequence of frames in the motion picture medium takes place during the scanning (by scanner 13) of the images of the object taken by electronic viewers 5 (Figure 2, Column 4, Lines 27-28).

The feature "creating the illusion that a single motion picture camera has moved along said path" is recited as a functional language. Since Ditchburn et al. discloses all the structural limitations of the apparatus claimed in claim 12, Ditchburn et al. meets the claim. See MPEP, section 2114.

Ditchburn et al. fails to specifically disclose the time-sequence of frames in a motion picture medium adapted to be viewable by a human. However, Astle teaches an apparatus which produces the illusion of motion from a sequence of still images, in which a sequence of images is

Art Unit: 2622

to be displayed depicting a moving scene (figure 1, column 2, lines 10-20, column 3, line 60 – column 4, line 21). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al. by the teaching of Astle in order to allow a user views a captured scene.

Ditchburn et al. and Astle fail to specifically disclose means for interpolation between each pair of successive still images in the digital data format to generate at least one interpolated still image in the digital data format between each pair of successive still images. However, Chen et al. the views of object 10 can be computer-generated images or digitized versions of respective photographic images. Once these views have been stored, the image from any viewpoint between any two of recorded locations can be obtained by interpolation of two adjacent images (column 2, lines 5-20; column 3, lines 52-67). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al. and Astle by the teaching of Chen et al. in order to generating of images representing the views of a three-dimensional scene from different perspectives, and generating scenes through the synthesis of two-dimensional images (column 1, lines 5-10; column 3, lines 14-20).

Regarding claim 5, Ditchburn et al. discloses said camera comprises a video camera (electronic viewers 5, Figures 1-2, Column 3, Lines 37-40, Column 4, Lines 12-15) that electronically records said still image as a video frame.

Art Unit: 2622

Regarding claim 6, Ditchburn et al. discloses said motion picture medium comprises video storage means (memory 16, Figure 2, Column 4, Line 30).

As for claims 8-10, claims 8-10 are method claims of apparatus claims 4-6; therefore, claims 8-10 are rejected for the reasons given in claims 4-6, respectively.

Regarding claim 12, Ditchburn et al. discloses a system for producing virtual camera motion in a motion picture medium comprising an array of cameras (electronic viewers 5, Figure 1, Column 3, Lines 37-40) deployed along a preselected path with each camera focused on a common scene (a viewing zone, Figure 1, Column 3, Lines 37-40); means for triggering (light curtain 3 triggers a strobe for signaling the electronic viewers 5 simultaneously capture the objects, Figure 1, Column 3, Lines 27-36) each of said cameras to simultaneously record a still image of said scene; and means for transferring said still images from said cameras and the interpolated images in a preselected order along said path onto a sequence of frames in said motion picture medium (the sequence of frames in the motion picture medium takes place during the scanning (by scanner 13) of the images of the object taken by electronic viewers 5 (Figure 2, Column 4, Lines 27-28).

The feature "creating the illusion that a single motion picture camera has moved along said path" is recited as a functional language. Since Ditchburn et al. discloses all the structural limitations of the apparatus claimed in claim 12, Ditchburn et al. meets the claim. See MPEP, section 2114.

Art Unit: 2622

Ditchburn et al. fails to specifically disclose a sequence of frames in said motion picture medium adapted to be viewable by a human. However, Astle teaches an apparatus which produces the illusion of motion from a sequence of still images, in which a sequence of images is to be displayed depicting a moving scene (figure 1, column 2, lines 10-20, column 3, line 60 – column 4, line 21). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al. by the teaching of Astle in order to allow a user views a captured scene.

Ditchburn et al. and Astle fail to specifically disclose means for interpolating between still images simultaneously recorded by each adjacent pair of cameras within the array of cameras to produce an interpolated image for each pair of adjacent cameras. However, Chen et al. the views of object 10 can be computer-generated images or digitized versions of respective photographic images. Once these views have been stored, the image from any viewpoint between any two of recorded locations can be obtained by interpolation of two adjacent images (column 2, lines 5-20; column 3, lines 52-67). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al. and Astle by the teaching of Chen et al. in order to generating of images representing the views of a three-dimensional scene from different perspectives, and generating scenes through the synthesis of two-dimensional images (column 1, lines 5-10; column 3, lines 14-20).

Art Unit: 2622

Regarding claims 14, 19, 28, Ditchburn et al. discloses each camera from said array of cameras comprises a video camera (electronic viewers 5, Figures 1-2, Column 3, Lines 37-40, Column 4, Lines 12-15) that electronically records said still image as a video frame.

Regarding claims 15, 20, 24, 29, Ditchburn et al. discloses motion picture medium comprises video storage means (memory 16, Figure 2, Column 4, Line 30).

Regarding claim 17, Ditchburn et al. discloses a system for producing virtual camera motion in a motion picture medium comprising a two-dimensional array of cameras (electronic viewers 5, Figure 1, Column 3, Lines 37-40) focused on a common scene (a viewing zone, Figure 1, Column 3, Lines 37-40); means for triggering (light curtain 3 triggers a strobe for signaling the electronic viewers 5 simultaneously capture the objects, Figure 1, Column 3, Lines 27-36) each of said cameras to simultaneously capture a time sequence of still images of said scene in plurality of video cameras; means for transferring said still images from a selected sequence of said cameras and the interpolated images along a selected path in said two-dimensional array to produce a sequence of frames in said motion picture medium (the sequence of frames in the motion picture medium takes place during the scanning (by scanner 13) of the images of the object taken by electronic viewers 5 (Figure 2, Column 4, Lines 27-28).

The feature "creating the illusion that a single camera has moved along the path of said array of video cameras" is recited as a functional language. Since Ditchburn et al. discloses all the structural limitations of the apparatus claimed in claim 22, Ditchburn et al. meets the claims. See MPEP, section 2114.

Application/Control Number: 09/727,034 Art Unit: 2622

Ditchburn et al. fails to specifically disclose a sequence of frames in said motion picture medium adapted to be viewable by a human. However, Astle teaches an apparatus which produces the illusion of motion from a sequence of still images, in which a sequence of images is to be displayed depicting a moving scene (figure 1, column 2, lines 10-20, column 3, line 60 – column 4, line 21). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al. by the teaching of Astle in order to allow a user views a captured scene.

Ditchburn et al. and Astle fail to specifically disclose means for interpolating between still images simultaneously recorded by each adjacent pair of cameras within the array of cameras to produce an interpolated image for each pair of adjacent cameras. However, Chen et al. the views of object 10 can be computer-generated images or digitized versions of respective photographic images. Once these views have been stored, the image from any viewpoint between any two of recorded locations can be obtained by interpolation of two adjacent images (column 2, lines 5-20; column 3, lines 52-67). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al. and Astle by the teaching of Chen et al. in order to generating of images representing the views of a three-dimensional scene from different perspectives, and generating scenes through the synthesis of two-dimensional images (column 1, lines 5-10; column 3, lines 14-20).

Regarding claim 22, Ditchburn et al. discloses a system for producing virtual camera motion in a motion picture medium comprising an array of cameras (electronic viewers 5. Figure

Art Unit: 2622

1, Column 3, Lines 37-40) focused on a common scene (a viewing zone, Figure 1, Column 3, Lines 37-40); means for triggering (light curtain 3 triggers a strobe for signaling the electronic viewers 5 simultaneously capture the objects, Figure 1, Column 3, Lines 27-36) each of said cameras to simultaneously capture a time sequence of still images of said scene in plurality of video cameras; a processor (computer 12, Figure 2, Column 4, Lines 27-28) receiving said video frames from said video cameras and generating said motion picture medium including said still images from the plurality of video frames and the interpolated images produced for each pair of adjacent video frames (the motion picture medium containing the still images takes place during the scanning (by scanner 13) of the images of the object taken by electronic viewers 5 (Figure 2, Column 4, Lines 27-28).

The feature "creating the illusion that a single camera has moved along the path of said array of video cameras" is recited as a functional language. Since Ditchburn et al. discloses all the structural limitations of the apparatus claimed in claim 22, Ditchburn et al. meets the claims. See MPEP, section 2114.

Ditchburn et al. fails to specifically disclose generating said motion picture medium adapted to be viewable by a human. However, Astle teaches an apparatus which produces the illusion of motion from a sequence of still images, in which a sequence of images is to be displayed depicting a moving scene (figure 1, column 2, lines 10-20, column 3, line 60 – column 4, line 21). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al. by the teaching of Astle in order to allow a user views a captured scene.

Art Unit: 2622

Ditchburn et al. and Astle fail to specifically disclose means for interpolating between each pair of adjacent video frames of the time sequences of still images to produce an interpolated image for each pair of adjacent video frames. However, Chen et al. the views of object 10 can be computer-generated images or digitized versions of respective photographic images. Once these views have been stored, the image from any viewpoint between any two of recorded locations can be obtained by interpolation of two adjacent images (column 2, lines 5-20; column 3, lines 52-67). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al. and Astle by the teaching of Chen et al. in order to generating of images representing the views of a three-dimensional scene from different perspectives, and generating scenes through the synthesis of two-dimensional images (column 1, lines 5-10; column 3, lines 14-20).

Regarding claim 25, Ditchburn et al. discloses said array of video cameras is two dimensional (Figure 1, two dimensional array of viewers 5).

Regarding claim 26, claim 26 is a method claim of apparatus claim 12. Therefore, claim 26 is rejected for the reason given in claim 12, except the feature "creating the illusion that a single motion picture camera has moved along said path," which is recited as a functional language, is inherently disclosed in Ditchburn et al. The act of simultaneously taking a picture with multiple cameras and outputting the pictures sequentially inherently achieves this effect.

Application/Control Number: 09/727,034 Art Unit: 2622

Regarding claim 31, Ditchburn et al. discloses a system for creating virtual camera motion comprising:

- a) an array of video cameras (electronic viewers 5, Figure 1, Column 3, Lines 37-40) deployed along a path with each video camera focused on a common scene (a viewing zone, Figure 1, Column 3, Lines 37-40), the array comprising a plurality intermediate video cameras between a first video camera (the first viewer 5 on the upper side of the path with nine viewers 5, Figure 2) and a second video camera along the path (the last viewer 5 on the lower side of the path with nine viewers, Figures 1-2, Column 3, Lines 37-40);
- b) a control system (computer 12, Figure 2, Column 4, Lines 27-30) associated with the array of video cameras and adapted to:
- i) receive video from at least the first and second video cameras (computer 12 receives video from viewers 5, Figure 2, Column 4, Lines 27-30);
- ii) select a first portion of video from the first camera ending at a first time (computer 12 receives video from the first viewer 5 at a first time via scanner 13, Figure 2, Column 4, Lines 27-30);
- iii) select a second portion of video from the second video camera beginning at a second time (computer 12 receives video from the last viewer 5 at a second time via scanner 13, Figure 2, Column 4, Lines 27-30);
- iv) select images from the plurality intermediate cameras corresponding to a time equal to or between the first and second times (computer 12 receives video from intermediate viewer 5 between the first viewer 5 and the last viewer 5 via scanner 13, Figure 2, Column 4. Lines 27-30):

Art Unit: 2622

v) create a resultant video providing a video sequence of the first portion of video, a sequence of the images from the plurality of intermediate video cameras interleave with the interpolated image produced for each adjacent pair of images, and the second portion of video (a video sequence of the first portion of video and the second of video takes place during the sequential of the scanning of the images captures by viewers 5, Figure 2, Column 4, Lines 27-30).

The feature "creating an illusion of that a single camera remained still during the first portion of video at a position of the first video camera and moved along the path to a position of the second video camera for the second portion of video" is recited as a functional language.

Since Ditchburn et al. discloses all the structural limitations of the apparatus claimed in claim 31, Ditchburn et al. meets the claim. See MPEP, section 2114.

Ditchburn et al. fails to specifically disclose to create a resultant video adapted to be viewable by a human. However, Astle teaches an apparatus which produces the illusion of motion from a sequence of still images, in which a sequence of images is to be displayed depicting a moving scene (figure 1, column 2, lines 10-20, column 3, line 60 – column 4, line 21). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al. by the teaching of Astle in order to allow a user views a captured scene.

Ditchburn et al. and Astle fail to specifically disclose interpolate between each adjacent pair of images selected from the plurality of intermediate cameras to produce an interpolated image for each adjacent pair of images. However, Chen et al. the views of object 10 can be computer-generated images or digitized versions of respective photographic images. Once these

Art Unit: 2622

views have been stored, the image from any viewpoint between any two of recorded locations can be obtained by interpolation of two adjacent images (column 2, lines 5-20; column 3, lines 52-67). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al. and Astle by the teaching of Chen et al. in order to generating of images representing the views of a three-dimensional scene from different perspectives, and generating scenes through the synthesis of two-dimensional images (column 1, lines 5-10; column 3, lines 14-20).

As for claim 34, all the limitations are contained in claim 31, therefore, claim 34 is rejected for the reason given in claim 31.

Regarding claim 37, claim 37 is a method claim of apparatus claim 34. Therefore, claim 37 is rejected for the reason given in claim 34, except the feature "creating an illusion of that a single camera remained still during the first portion of video at a position of the first video camera and moved along the path to a position of the second video camera for the second portion of video" which is recited as a functional language, is inherently disclosed in Ditchburn et al.

Regarding claims 32, 35, 38, Ditchburn et al. discloses wherein the first and second times are equal and the select images from the plurality of intermediate cameras correspond to the first and second times to create an illusion that time has stopped during the illusion of the single camera moving from the first position to the second position (Ditchburn et al. all the viewers 5 are trigger simultaneously (Figure 1, Column 3, Lines 25-30), therefore, the first time at which

Art Unit: 2622

the portion of video from the first viewer 5 (on upper part, Figure 2) and the second time at which the portion of video from second viewer 5 (on lower part, Figure 2) are equal.

### Claim Rejections - 35 USC § 103

- The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all
  obviousness rejections set forth in this Office action:
  - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- Claims 7, 11, 13, 16, 18, 21, 23, 27, 30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ditchburn et al. (U.S. 5,184,732) in view of Astle (US 4,698,682) and Chen et al. (US 5,613,048) further in view of Collender (U.S. 3,815,979).

Regarding claims 7, 11, 16, 21, 23, 30, Ditchburn et al., Astle and Chen et al. fail to specifically disclose said motion picture medium comprises motion picture film. However, Collender teaches pictures may be recorded on ordinary motion picture film (Figure 1, Column 6, Lines 58-68). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al., Astle and Chen et al. by the teaching of Collender in order to store the captured images on photographic film. This allows the recording an image at a high resolution and produces a standard television signal from photographic film, in which the signal is free from visible flicker.

Regarding claims 13, 18, 27, Ditchburn et al., Astle and Chen et al. fail to specifically disclose each camera from said array of cameras records said still image on photographic film.

Art Unit: 2622

However, Collender teaches images captured by cameras 1 through n are recorded on film (Figure 1, Column 3, Lines 43-51). Therefor, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al., Astle and Chen et al. by the teaching of Collender in order to store the captured images on photographic film. This allows the recording an image at a high resolution and produces a standard television signal from photographic film, in which the signal is free from visible flicker.

Claims 33, 36, 39 are rejected under 35 U.S.C. 103(a) as being unpatentable over
 Ditchburn et al. (U.S. 5,184,732) in view of Astle (US 4,698,682) and Chen et al. (US 5,613,048) further in view of Wilkinson et al. (U.S. 4,453,182).

Regarding claims 33, 36, 39, Ditchburn et al., Astle and Chen et al. fail to specifically disclose wherein the first and second times differ by a time period and the select images from the plurality of intermediate cameras correspond to different times throughout the time period to create an illusion that time has slowed during the illusion of the single camera moving from the first position to the second position. However, Wilkinson et al. a television system, which includes plurality of video cameras, the cameras are sequentially triggered by a sequential switch 40 (Figures 1-3, Column 3, Lines 50-59, Column 4, Lines 44-55, Column 5, Line 28 through Column 6, Line 57). This shows that the first time and second times differ by a time period. Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to modify the device in Ditchburn et al., Astle and Chen et al. by the teaching of Wilkinson et al. in order to provide a system which forms images at a greater speed than that

presently possible from a single camera and permits the forming of images virtually one right after the other (Column 3, Lines 22-28).

#### Conclusion

 Any inquiry concerning this communication or earlier communications from the examiner should be directed to LUONG T. NGUYEN whose telephone number is (571) 272-

7315. The examiner can normally be reached on 7:30AM - 5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, DAVID L. OMETZ can be reached on (571) 272-7593. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <a href="http://pair-direct.uspto.gov">http://pair-direct.uspto.gov</a>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

LTN 06/17/08

/LUONG T NGUYEN/ Examiner, Art Unit 2622 Art Unit: 2622